

**Izjava o usaglašenosti**

Aluplast - Belac  
Kamenovački put bb  
12300 Petrovac, Srbija

Izjavljuje da proizvodi

prozori i balkonska vrata okretna, okretno nagibna i fiksna  
predviđena za ugradnju u stambene i poslovne objekte  
odgovaraju izjavljenim karakteristikama datim u CE znaku.

**EN 14351– 1 dodatak ZA**

Glavna ispitivanja su izvršena u  
Institutu za prozorsku tehniku ift Rosenheim GmbH, Theodor–Gieti–Str. 7–9  
83026 Rosenheim, Deutschland

10.2. 2012. Beograd

Odgovorno lice za proizvodnju  
Ivan Nikolić

**Declaration of Conformity**

Aluplast - Belac  
Kamenovački put bb  
12300 Petrovac, Serbia

declares that the product

windows and external doors, tilt, tilt and turn and fixed  
designed for installation in residential and commercial buildings  
filled suit the characteristics given in the CE mark

**EN 14351– 1 Anneex FOR**

Initial tests were carried out by the following notified bodies:  
Institut for Fenstertechnik, IFT Rosenheim GmbH, Theodor–Gieti–Str. 7–9  
83026 Rosenheim, Germany

10.2. 2012. Belgrade

Responsible for the production:  
Ivan Nikolić



Aluplast - Belac  
Kamenovački put bb  
12300 Petrovac, Srbija

Nemačka

11

EN 14351-1

Prozor podesan za upotrebu u stambenoj i  
nestambenoj izgradnji

Otpornost na udar vetrom: C4/B4  
Vodonepropustljivost: E750  
Zvučna izolaciona moć: 35(-2;-5)dB  
Koeficijent prolaza toplote: 1,2 W/m<sup>2</sup>K  
Vazдушna propustljivost: 4



Aluplast - Belac  
Kamenovački put bb  
12300 Petrovac, Serbia

Germany

11

EN 14351-1

The window is suitable for use in residential  
and non residential building

Resistance to wind load: C4/B4  
Water tightness: E750  
Sound insulation: 35(-2;-5)dB  
Coefficient of heat transmission: 1,2 W/m<sup>2</sup>K  
Air permeability: 4